

FAS-PAD
Centrifugal Floor Pad Cleaning Station
Owners Manual



- **General Safety/Set Up**
- **Operation**
- **Warranty**
- **Parts**

Fas-Trak Industries
PO BOX 757 - Monee, IL 60449
Phone 708-570-0650 Fax 708-570-0653

General Safety

These precautions have been written for your safety and the safety of others in mind. These precautions **MUST BE FOLLOWED** at all times to avoid serious injury, harm, and/or death, and damage to the unit.

WARNING To reduce the risk of fire, electrical shock or injury:

1. READ ALL INSTRUCTIONS BEFORE USING UNIT.
2. Use only as described in this manual.
3. Do not allow to be used as a toy. Close attention is necessary when used by or near children.
4. Do not use in areas where flammable or combustible material may be present.
5. Do not leave the unit exposed to harsh weather elements. Temperatures below freezing may damage components and void warranty.
6. Keep hair, loose clothing, fingers and all parts of the body away from all opening and moving parts.

Set Up

1. Mount support boards (34x3 1/2" wood) to back of the unit with six bolts. (5/16")
2. Mount unit to wall level with six screws (12x2") three on each side next to drain and water source.
3. Use hose brackets to mount hose to wall in downward angle for drain hose. Trim hose as needed.
4. Plug electrical cord into 110 volt outlet.

Floor Pad Cleaning/Restoration Procedure

We strongly recommend that you start your pad cleaning program using new high quality floor pads. Old & neglected pads are to be discarded.

The key to our program is to clean your pads on a regular basis for optimal results. Our testing has proven that a high quality pad generally speaking can be cleaned about 6 times.

- Buffing and Burnishing Pads are cleaned and restored the easiest.
- Red, Blue, Green pads are best cleaned with the use of a good high quality chemical such as: Surrender. Dilute and pre-spray them before cleaning them.
- Black stripping pads are easily cleaned without pre-spray provided they are wet and being used in a stripping project.
- Carpet Bonnets/Micro fiber pads are cleaned and restored with or without the use of a good high quality chemical such as: Surrender.

Operation

1. Open unit
 2. Remove snap clip pad holder and place pad on center of pad holder, snap clip pad holder back on.
 3. Close door
 4. Turn power switch to on position
 5. Turn water valve to open position wait 15 seconds
 6. Turn water valve to close position, wait 5 seconds.
 7. Turn power switch to off position.
 8. Open door, remove pad clip holder, remove pad, turn over and repeat steps 1 - 7
- LESS THAN ONE MINUTE TO CLEAN PADS**

Limited Warranty

The warranty is limited to the original purchaser. It goes into effect the day of original purchase. Make sure the serial number is printed on original invoice.

1-year limited warranty: All electrical components are covered for only 1 year for manufacture defect in workmanship or materials. If said items have water damage, chemical damage, or signs of abuse and neglect, the warranty is voided. Fas-Trak Industries reserves the right to amend this warranty at any time without written notice.

Three-year limited warranty: The outer unit is covered towards cracks and or defects in workmanship or material. If said items has chemical damage, or signs or abuse and neglect, the warrant is voided. Fas-Trak Industries reserves the right to amend this warranty at any time without written notice.

Limited Warranty

Conditions that void warranty

- Equipment used in rental services.
- Damage incurred during shipment or causes by accident.
- Use in incompatible or corrosive chemicals.
- Lack of proper maintenance.
- Misuse, negligence, abuse, fire, or use of product for the other than its intended purpose.
- Modification of machine from its original condition, service parts installed or repairs performed by anyone other than Fas-Trak Industries and/or authorized distributors or service center.
- USE OF PARTS NOT APPROVED BY FAS-TRAK INDUSTRIES WILL VOID ALL WARRANTIES.

This warranty is in lieu of all expressed to implied warranted and is extended only to the original retail purchaser. Fas-Trak Industries reserves the right for final determination of warranty coverage.

Replacement Parts

Call our office